






Article list EFOY Consumer

- EFOY 80 / 150 / EFOY Pro 2800
- EFOY Batteries
- Accessories

EFOY Fuel Cells

Fuel Cell: automatic charging device for 12 V und 24 V batteries (lead-acid, lead-gel, AGM and LiFePO4 batteries)



	Article	Article information	Article no.
	EFOY 80 BT	Max. output power: 40 W Dimensions (L x W x H): 448 x 198 x 275 mm Weight: 6,5 kg <u>Includes BT Equipment-Set</u>	158 000 002
	EFOY 150 BT	Max. output power: 75 W Dimensions (L x W x H): 448 x 198 x 275 mm Weight: 6,9 kg <u>Includes BT Equipment-Set</u>	158 000 022
	EFOY Pro 2800 BT	Max. output power: 125 W Dimensions (L x W x H): 448 x 198 x 275 mm Weight: 7,8 kg <u>Includes BT Equipment-Set</u>	158 000 082
Equipment-Set	BT Equipment-Set	Content as listed below	158 003 002

Content BT Equipment-Set:



EFOY Lithium Batteries

Battery: 12 V LiFePO4-Battery, can be used alone or in combination with an EFOY Fuel Cell.

	Article	Article information	Article no.
	EFOY Li 70 12 V	Nominal capacity: 70 Ah / nominal voltage: 12.8 V Technology: LiFePO4 Dimensions (L x W x H): 269 x 175 x 190 mm Weight: 11,8 kg <u>Includes EFOY Li Battery Equipment-Set</u>	155 000 030
	EFOY Li 105 12 V	Nominal capacity: 105 Ah / nominal voltage: 12.8 V Technology: LiFePO4 Dimensions (L x W x H): 368 x 175 x 190 mm Weight: 16,3 kg <u>Includes EFOY Li Battery Equipment-Set</u>	155 000 031

Content: EFOY Li Battery Equipment-Set:



Battery Activator



Battery Clamp Adapter M8



Sealing Plugs RJ12

User Manual

EFOY Tankpatronen and Service Fluid










	Article	Article information	Article no.
	Fuel cartridge M5*	Content: 5 l (capacity: 5,6 kWh). Dimensions (L x W x H): 19,0 x 14,5 x 28,3 cm Packaging unit: 2 fuel cartridges * not available in all countries	150 905 006
	Fuel cartridge M10	Content: 10 l (capacity: 11,1 kWh). Dimensions (L x W x H): 23,0 x 19,3 x 31,8 cm Packaging unit: 2 fuel cartridges	150 905 008
	Service Fluid	Content: 100 ml	150 903 001

5 years warranty certificate










	Article	Article information	Article no.
	5 years warranty certificate EFOY 80	certificate for 5 years warranty for EFOY 80	158 901 011
	5 years warranty certificate EFOY 150	certificate for 5 years warranty for EFOY 150	158 901 012
	5 years warranty certificate EFOY Pro 2800 BT	certificate for 5 years warranty for EFOY Pro 2800 BT	158 901 018












EFOY and EFOY COMFORT Accessories and spare parts



	Article	Article information	EFOY 80 / 150	EFOY Batteries	EFOY COMFORT	Article no.
	EFOY Bluetooth Adapter BT2 Set	Adapter to operate the EFOY 80 and EFOY 150 fuel cell and EFOY batteries with the EFOY App <u>Article includes:</u> - Bluetooth Adapter with cable - User manual	x	x		158 000 190

	Article	Article information	EFOY 80 / 150	EFOY Batteries	EFOY COMFORT	Article no.
	EFOY Bluetooth Adapter BT1 Set	Adapter to operate the EFOY COMFORT fuel cell with the EFOY App <u>Article includes:</u> - Bluetooth Adapter with cable - User manual			x	151 000 193
	Operating panel OP3 Set	Operating panel for EFOY 80 and EFOY 150 fuel cells 4.3 " TFT Display with data line (3 meters)	x			158 077 003
	Operating panel EFOY COMFORT OP2 with data line	White operating panel for the EFOY COMFORT <u>Article includes:</u> - white frame - surface mount - data line DL2 (10 meters) - drilling template			x	151 077 053
	Operating panel EFOY COMFORT OP2 with data line black	Black operating panel for the EFOY COMFORT <u>Article includes:</u> - black frame - surface mount - data line DL2 (10 meters) - drilling template			x	151 077 057
	Frame white for operating panel EFOY COMFORT OP2	White frame for the operating panel EFOY COMFORT OP2			x	151 077 045
	Frame black for operating panel EFOY COMFORT OP2	Black frame for the operating panel EFOY COMFORT OP2			x	151 077 051
	Surface mount white for operating panel EFOY COMFORT OP2	White surface mount for the operating panel EFOY COMFORT OP2 <u>Article includes:</u> - Mounting screws for the surface mount			x	151 077 054
	Surface mount black for operating panel EFOY COMFORT OP2	Black surface mount for the operating panel EFOY COMFORT OP2 <u>Article includes:</u> - Mounting screws for the surface mount			x	151 077 055
	Mounting plate MP3 Set	Mounting plate for the EFOY 80 and EFOY 150 fuel cell	x			158 908 007




	Article	Article information	EFOY 80 / 150	EFOY Batteries	EFOY COMFORT	Article no.
	Mounting plate EFOY COMFORT	Mounting plate for the EFOY COMFORT			x	151 908 020
	Mounting belt EFOY COMFORT	Belt for mounting the EFOY COMFORT onto the mounting plate			x	151 908 022
	Bracket	Bracket for mounting the EFOY 80 and EFOY 150 fuel cell (recommended amount for mounting: 2 brackets)	x			158 908 002
	Fuel cartridge holder	Fuel cartridge holder for M5 and M10 fuel cartridges	x		x	151 905 021
	Belt for fuel cartridge holder	Belt for the fuel cartridge holder	x		x	151 908 003
	Off-heat bow OH3	Diameter: 10 cm	x			158 903 001
	Off-heat tube OT3	Tube for mounting the off-heat bow OH3 Length: 20 to 40 cm Diameter: 10 cm	x		x	158 903 002
	External face plate	Diameter : 10 cm	x		x	151 903 013
	Insulated exhaust hose	Length: 1,2 m	x		x	151 904 003
	Off-heat duct EFOY COMFORT	<u>Article includes:</u> - Off-heat tube - Off-heat flange EFOY COMFORT - External face plate - Off-heat bow EFOY COMFORT - Screw set EFOY COMFORT			x	151 903 027
	Off-heat flange EFOY COMFORT	<u>Article includes:</u> Screw set EFOY COMFORT			x	151 903 030


	Article	Article information	EFOY 80 / 150	EFOY Batteries	EFOY COMFORT	Article no.
	Off-heat bow EFOY COMFORT	<u>Article includes:</u> Screw set EFOY COMFORT			x	151 903 029
	Off-heat tube	Length: 51 to 125 cm; Diameter: 10 cm			x	151 904 001
	Charge line CL5	The Charge line is used to connect the EFOY 80 and EFOY 150 to the battery (Length 3m). <u>Article includes:</u> Connecting line to fuel cell (3 m) Fuse set Sense Fuse set Power	x			158 906 018
	Connecting line (CL5) to fuel cell	Connecting line to connect the fuel cell EFOY 80 and EFOY 150 to the battery (Length 3m)	x			158 906 001
	Fuse set Sense	Fuse holder with 2 A fuse and flat plugs	x			158 906 013
	Fuse set Power	Fuse holder with 20 A fuse and flat plugs and mounting holder for the sense and power fuse sets	x			158 906 012
	Charge line CL4	The Charge line is used to connect the EFOY COMFORT to the battery. <u>Article includes:</u> Connecting line (CL4) to fuel cell (1 m) Cable with fuse 2 A sense Cable with fuse 15 A power			x	151 906 034
	Connecting line (CL4) to fuel cell	Connecting line to connect the fuel cell to the fuse cables; Length: 1 m			x	151 906 004
	Cable with fuse 2 A sense	Cable including 2 A fuse; Length: 50 cm			x	151 906 007

	Article	Article information	EFOY 80 / 150	EFOY Batteries	EFOY COMFORT	Article no.
	Cable with fuse 15 A power	Cable including 15 A fuse; Length: 50 cm		x		151 906 024
	Extension cable power line 8m	Extension cable for power line; Length: 8 m		x		151 906 006
	Extension cable sense line 8m	Extension cable for sense line; Length: 8 m		x		151 906 005
	Connecting Kit RJ12 3 meter	Connection kit to connect the EFOY 80 and EFOY 150 fuel cell to the EFOY Li 70 and EFOY Li 105 battery <u>Article includes:</u> Data line RJ12 3 meter, Port Doubler RJ12 and SFC Bus end part	x	x		155 906 008
	Connecting Kit RJ12 10 meter	Connection kit to connect the EFOY 80 and EFOY 150 fuel cell to the EFOY Li 70 and EFOY Li 105 battery <u>Article includes:</u> Data line RJ12 10 meter, Port Doubler RJ12 and SFC Bus end part	x	x		155 906 009
	Data line RJ12 1 meter	Data line to connect the EFOY 80 and EFOY 150 fuel cell to the EFOY Li 70 and EFOY Li 105 battery or to connect the fuel cell to the operating panel OP3	x	x		158 906 002
	Data line RJ12 3 meters	Data line to connect the EFOY 80 and EFOY 150 fuel cell to the EFOY Li 70 and EFOY Li 105 battery or to connect the fuel cell to the operating panel OP3	x	x		158 906 007
	Data line RJ12 10 meters	Data line to connect the EFOY 80 and EFOY 150 fuel cell to the EFOY Li 70 and EFOY Li 105 battery or to connect the fuel cell to the operating panel OP3	x	x		158 906 021
	Port Doubler RJ12-2*1,1	Adapter to simultaneously use the Bluetooth Adapters BT2 and the operating panel OP3 with the EFOY Li battery	x	x		158 906 009
	SFC Bus end part	End part to terminate the SFC Bus connection	x	x		158 906 016
	Data line DL2	Data line DL2 for the operating panel EFOY COMFORT and the remote control RC1. Length: 10 m		x		151 075 033

	Article	Article information	EFOY 80 / 150	EFOY Batteries	EFOY COMFORT	Article no.
	Communication-Kit for serial communication	Set for serial communication between a computer and your EFOY / EFOY Pro fuel cell Article includes: Interface Adapter IA1 USB-RS232 Adapter Data cable RJ45/RJ12 (1 meter)	x	x		158 906 029
	Router RUT240 Set	Router Set to connect the EFOY to the Internet <u>Article includes:</u> <ul style="list-style-type: none"> - Router RUT240 - Power cable for Router (DC) - Outdoor Antenna - DIN rail holder for the Router - Ethernet cable (2 meters) <u>Not included:</u> SIM card	x			158 906 028
	User manual EFOY 80 and EFOY 150	User manual in six languages: DE, EN, FR, IT, ES, NL, SE, NO, DK, FI Also available online: https://www.my-efoy.com/service/downloads/	x			158 901 003
	User manual EFOY COMFORT	User manual in six languages: DE, EN, FR, IT, ES, NL Also available online: https://www.my-efoy.com/service/downloads/			x	151 901 096
	User manual EFOY COMFORT SCAN	User manual in four languages: SV, NO, DK, FI Also available online: https://www.my-efoy.com/service/downloads/			x	151 1 126

EFOY Lithium Batteries spare parts and accessories

	Article	Article information	EFOY 80 / 150	EFOY Batteries	EFOY COMFORT	Article no.
	Battery Activator	Activates the battery from its transportation and storage "sleep mode".		x		158 906 017
	Battery Clamp Adaptor M8	Clamp Adaptors to connect crocodile clamps to the EFOY battery		x		155 908 001
	Sealing Plugs RJ12	Plugs to protect the data interfaces		x		155 908 002

	Article	Article information	EFOY 80 / 150	EFOY Batteries	EFOY COMFORT	Article no.
	User manual EFOY Li batteries	User manual in ten languages: DE, EN, FR, IT, ES, NL, SV, NO, DK, FI Also available online: https://www.my-efoy.com/service/downloads/		x		155 901 003
	EFOY Bluetooth Adapter BT2 Set	Adapter to operate the EFOY and EFOY Pro fuel cells and EFOY batteries with the EFOY App <u>Article includes:</u> - Bluetooth Adapter with cable - User manual	x	x		158 000 190